PONY 谱 尼 测 试
Pony Testing International Group

集团微信订阅号　集团微信服务号

CMA
210000343619

检 测 报 告

No. B6G8030080011L

委托单位	常州市和润环保科技有限公司
受测单位	常州市和润环保科技有限公司
报告日期	2026 年 09 月 09 日

PONY 谱尼测试
Pony Testing International Group
www.ponytest.com

查询密码:Ih11ly6Yaz

声 明
Statement

1.本报告无检验检测专用章、报告骑缝章和批准人签章无效。
This report is invalid without special seal for inspection and test, cross-page seal and signature of the approver.

2.本报告页面所使用“PONY”、“谱尼”字样为谱尼测试集团的注册商标，其受《中华人民共和国商标法》保护，任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为，本单位将依法追究其法律责任。
The words "PONY" and "谱尼" used in this report page are the registered trademarks of Pony Testing International Group, which are protected by the Trademark Law of the People's Republic of China. Any unauthorized use, counterfeiting, forging or altering of the trademarks of "PONY" and "谱尼" without the authorization of us is an illegal infringement, and we will investigate their legal liabilities according to law.

3.委托单位对报告数据如有异议，请于报告完成之日起十五日内(初级农产品报告请于报告收到之日起五个工作日内)向本单位书面提出复测申请，同时附上报告原件并预付复测费。
If the applicant has any objection to the report data, please submit a written application for retesting to us within 15 days after the completion of the report (for the report of primary agricultural products, submit a written application for retesting to the unit within 5 working days after the receipt of the report), with the original report attached and the retesting fee prepaid.

4.委托单位办理完毕以上手续后，本单位会尽快安排复测。如果复测结果与异议内容相符，本单位将退还委托单位的复测费。
After the applicant completes the above procedures, we shall arrange the retesting as soon as possible. If the retest result is consistent with the objection, we will refund the retest fees.

5.不可重复性或不能进行复测的实验，不进行复测，委托单位放弃异议权利。
If the experiment cannot be repeated or cannot be retested, no retest shall be conducted, and the applicant shall waive the right of objection.

6.委托单位对送检样品的代表性和资料的真实性负责，否则本单位不承担任何相关责任。
The applicant is responsible for the representativeness of the commissioned samples and the authenticity of the documents, otherwise we do not assume any relevant responsibilities.

7.本报告仅对所测样品的检测结果负责，检测结果及其相关判定结论仅反映对所测样品的评价或只代表检测时污染物的排放状况。对于报告及所载内容不能擅自进行不当宣传使用，使用所产生的直接或间接损失及一切法律后果，本单位不承担任何经济和法律责任。
This report is only responsible for the test results of the tested samples. The test results and relevant conclusions reflect the evaluation of the tested samples or only represent the emission status of pollutants during the test. The report and the contents contained in it cannot be used for improper promotion without authorization, and we do not assume any economic and legal liabilities for direct or indirect losses and all legal consequences arising from the use.

8.本单位有权在完成报告后按规定方式处理所测样品，除客户特别声明并支付样品管理费，所有超过标准规定时效期的样品均不再做留样。
We have the right to dispose the tested sample after approval of the test report. Unless the applicant specifically declares and pays the sample management fee, all samples beyond the validity period specified in the standard will not be retained.

9.本单位保证工作的客观公正性，对委托单位的商业信息、技术文件等商业秘密履行保密义务。
We assure objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant’s commercial information, and technique document.

10.本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效，本单位将对上述行为严究其相应的法律责任。
Any unauthorized transfer, appropriation, falsification, alteration, copying (except full text copying) or alteration in any other form of this report without the approval of us shall be invalid. We shall strictly investigate the corresponding legal liability for the aforesaid behavior.

****

▲防伪说明(Anti-counterfeiting Instructions):

1.报告编号是唯一的；
The report number is unique.

2.扫描报告首页下方二维码，即可查询报告真伪。
Scan the QR code below the first page to check the authenticity of the report.

****

检 测 报 告

No. B6G8030080011L

委托单位	常州市和润环保科技有限公司		
委托单位地址	常州市金坛区金科园华洲路 5 号		
受测单位	常州市和润环保科技有限公司		
受测地址	常州市金坛区金科园华洲路 5 号		
采样位置	见数据页		
样品类别	废水	检测类别	委托检测
采样日期	2026-08-05	检测日期	2026-08-05~2026-08-11
样品状态	见数据页	检测环境	符合要求
样品来源	采样		
检测项目	见数据页		
检测方法	见附表 1		
所用主要仪器	见附表 2		
备注	1、该报告中检测方法和限值标准由委托单位指定。 2、限值 1：GB/T 31962-2015《污水排入城镇下水道水质标准》表 1B 级； 3、限值 2：GB 8978-1996《污水综合排放标准》（含修改单）表 4 三级； 4、限值 3 由客户提供； 5、“——”表示客户未提供限值； 6、数据页检测结果列中“L”表示该项目的检测结果低于分析方法检出限。		
编制人	蒋心悦	审核人	吴丹
批准人	朱林进	签发日期	2026 年 09 月 09 日

谱尼测试集团江苏有限公司
公司地址：江苏省苏州市工业园区金芳路 8 号
检测地址：江苏省苏州市工业园区金芳路 8 号
电话：0512-62997900
传真：0512-68021475

检 测 报 告

No. B6G8030080011L

检测结果：

样品名称和编号	检测项目	单位	限值 1	检测结果			
				第一次	第二次	第三次	平均值
B6G8030080011L 废水排口 浅黄色微浑浊液体	氨氮(以 N 计)	mg/L	45	0.025L	0.060	0.048	0.040
	总氮(以 N 计)	mg/L	70	1.95	1.94	2.03	1.97
	总磷(以 P 计)	mg/L	8	0.11	0.11	0.11	0.11
	检测项目	单位	限值 2	检测结果			
				第一次	第二次	第三次	平均值
	pH 值	无量纲	6~9	7.9 (29.8℃)	7.8 (29.7℃)	7.9 (29.9℃)	7.9 (29.8℃)
	悬浮物(SS)	mg/L	400	7	9	8	8
	五日生化需氧量 (BOD_5)	mg/L	300	5.2	5.1	2.5	4.3
	化学需氧量 (COD)	mg/L	500	22	20	10	17
	石油类	mg/L	20	0.53	0.36	0.10	0.33
	氟化物	mg/L	20	0.59	0.59	0.56	0.58
	检测项目	单位	限值 3	检测结果			
				第一次	第二次	第三次	平均值
	六价铬	mg/L	0.5	0.009	0.007	0.007	0.008
	汞	mg/L	0.05	0.00004L	0.00004L	0.00004L	0.00004L
	砷	mg/L	0.5	0.0006	0.0013	0.0012	0.0010
	铅	mg/L	1	0.07L	0.07L	0.07L	0.07L
	铬	mg/L	1.5	0.03L	0.03L	0.03L	0.03L
	镉	mg/L	0.1	0.005L	0.005L	0.005L	0.005L
	镍	mg/L	1	0.02L	0.02L	0.02L	0.02L
	游离氯	mg/L	——	0.04L	0.04L	0.04L	0.04L
	粪大肠菌群	MPN/L	——	2.3×10^2	7.8×10^2	3.9×10^2	4.7×10^2
	磷酸盐	mg/L	——	0.06	0.06	0.05	0.06

谱尼测试集团江苏有限公司
公司地址：江苏省苏州市工业园区金芳路 8 号
检测地址：江苏省苏州市工业园区金芳路 8 号
电话：0512-62997900
传真：0512-68021475

检 测 报 告

附表 1：

检测项目方法仪器一览表

检测项目	分析方法	仪器设备
氨氮(以 N 计)	水质 氨氮的测定 纳氏试剂分光光度法 HJ 535-2009	紫外可见分光光度计
总氮(以 N 计)	水质 总氮的测定 碱性过硫酸钾消解紫外分光光度法 HJ 636-2012	紫外可见分光光度计
总磷(以 P 计)	水质 总磷的测定 钼酸铵分光光度法 GB/T 11893-1989	紫外可见分光光度计
pH 值	水质 pH 值的测定 电极法 HJ 1147-2020	笔式酸度计
悬浮物(SS)	水质 悬浮物的测定 重量法 GB/T 11901-1989	电子分析天平
五日生化需氧量(BOD_5)	水质 五日生化需氧量(BOD_5)的测定 稀释与接种法 HJ 505-2009	溶解氧测定仪
化学需氧量(COD)	水质 化学需氧量的测定 重铬酸盐法 HJ 828-2017	滴定管
石油类	水质 石油类和动植物油类的测定 红外分光光度法 HJ 637-2018	红外分光测油仪
氟化物	水质 氟化物的测定 离子选择电极法 GB/T 7484-1987	离子计
六价铬	水质 六价铬的测定 二苯碳酰二肼分光光度法 GB/T 7467-1987	紫外可见分光光度计
汞	水质 汞、砷、硒、铋和锑的测定 原子荧光法 HJ 694-2014	原子荧光光谱仪
砷	水质 汞、砷、硒、铋和锑的测定 原子荧光法 HJ 694-2014	原子荧光光谱仪
铅	水质 32 种元素的测定 电感耦合等离子体发射光谱法 HJ 776-2015	电感耦合等离子体发射光谱仪
铬	水质 32 种元素的测定 电感耦合等离子体发射光谱法 HJ 776-2015	电感耦合等离子体发射光谱仪
镉	水质 32 种元素的测定 电感耦合等离子体发射光谱法 HJ 776-2015	电感耦合等离子体发射光谱仪
镍	水质 32 种元素的测定 电感耦合等离子体发射光谱法 HJ 776-2015	电感耦合等离子体发射光谱仪
游离氯	水质 游离氯和总氯的测定 N,N-二乙基-1,4-苯二胺分光光度法 HJ 586-2010 附录 A 水质 游离氯和总氯的测定 N,N-二乙基-1,4-苯二胺现场测定法	便携式余氯计

检 测 报 告

附表 1：

检测项目方法仪器一览表（续）

检测项目	分析方法	仪器设备
粪大肠菌群	水质 总大肠菌群、粪大肠菌群和大肠埃希氏菌的测定 酶底物法 HJ 1001-2018	电热恒温培养箱
磷酸盐	《水和废水监测分析方法》 (第四版 增补版) 第三篇、第三章、七、（三） 钼锑抗分光光度法	紫外可见分光光度计

附表 2：

检测仪器（名称、型号、公司编号）

设备名称	设备型号	公司编号
滴定管	50mL	B6-D-031(自有)
离子计	PXSJ-216F	B6-IE013-32(自有)
笔式酸度计	PH-100	B6-IE013-90(自有)
便携式余氯计	Pocket colorimeter II	B6-IE181-01(自有)
溶解氧测定仪	YSI4010-1W	B6-IE579-21(自有)
电子分析天平	ME204/02	B6-IE014-09(自有)
原子荧光光谱仪	SK-2003A	B6-IE058(自有)、B6-IE058-06(自有)
电热恒温培养箱	HPX-9272MBE	B6-IE010-04(自有)
红外分光测油仪	JLBG-125U	B6-IE004-02(自有)
紫外可见分光光度计	UV-1800	B6-IE005-10(自有)
	UV-2800	B6-IE005(自有)
电感耦合等离子体发射光谱仪	5100	B6-IE071(自有)

——以下空白——

谱尼测试集团江苏有限公司
公司地址：江苏省苏州市工业园区金芳路 8 号
检测地址：江苏省苏州市工业园区金芳路 8 号
电话：0512-62997900
传真：0512-68021475